

Fig. 1

Field Name	Length	Type V=Char N=Number	Definition
EXID	8	V	101
IMSI	9	N	102
TECH	8	V	103
SDATE	14	V	104
EDATE	14	V	105
DURAT	9	N	106
ANSW	1	N	107
ASUB	32	V	108
BSUB	32	V	109
CSUB	32	V	110
VOLUME	9	N	111
COUNTRY	5	V	112
OPERAT	5	V	113
PRICE	9	N	114
CHARGE	9	N	115
LF	1	N	116

Event record file									
FIN123	011223344	DXF7	200305061130452	00305061140450	0000006001				
EXID	IMSI	TECH	SDATE	EDATE	DURAT	ANSW			
+35831012356789			+35832098765431						
	ASUB			BSUB					
+35833098765432			000000515	FIN	000000000000000000	n			
	CSUB		VOLUME	COUNTRY	PRICE	CHARGE	LF		

Fig. 2




Fig. 3




Fig. 4

Parameter file					
402) 406) 408)			402) 406) 408)		
	Serv. ID	Valid from	Valid until	Field	Operand Ref. Value
401)	A1	01.01.2002	31.12.2010	ASUB	= 123
405)	A1	01.01.2002	31.12.2010	ASUB	= 124
407)	A1	01.01.2002	31.12.2010	BSUB	= 222
410)	B1	01.01.2002	31.12.2010	ASUB	= 456

Valid set table		
Serv. ID	Frequency	Accuracy
403) 409) A1	0	404) 409) 2
B1	0	1
	0	0

Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11

